



www.sslighter.com

VFS PLUS SERIES

Enhance Your Game



- VFS PLUS SERIES Experience of glare control in professional sports lighting
- A professional sports lighting efficient operation and convenient operation lighting system that can adapt to the lighting requirements of various competition venues
- Perfect glare solutions effectively controlling direct and indirect glare

- The perfect glare solutions effectively controls direct and indirect glare with efficient light distribution processing, which can accurately project the light beam into the effective illumination area and improve light utilization efficiency.
- Good to players, coaches, referees, sponsors HoTywith an experienced lighting design





www.slsighter.com

PRODUCT DESIGN

Aiming device

Accurate positioning of the optimal installation angle convenient to use.

Air flow structure

Excellent heat dissipation structure and dynamic thermal management design can maximize heat dissipation greatly improving the lifespan of the lighting fixtures.

Mounting bracket

Multi angle and convenient maintain bracket, with comprehensive functions and high safety performance in practical applications.

Control Visor

Minimize the spill light to reduce the light pollution.

Light source


The high CRI and high efficiency LED design can adapt to the needs of various competitions, training, and HDTV broadcasting.

Anti glare device


The anti glare device can minimize the glare effect of lighting fixtures and minimize the loss of light output.




Professional solutions for
sports stadiums and gymnasiums



Soccer Field




Rugby Field




Baseball Field

Professional solutions for sports stadiums and gymnasiums



Basketball Arena




Ice Hockey


PARAMETER MODEL

Model	Installation method	Power and Luminous Output	CCT/CRI	Light distribution	Voltage
VFS PLUS	Y York mount	1500W > 150000, CRI90	5000K -6000K,CRI90	N	
	U Under mount	1200W > 120000, CRI90	5000K -6000K,CRI80	M	220V50HZ
		1000W > 100000, CRI90	5000K -6000K,CRI70	W	
		1500W > 165000, CRI80		TC	
		1200W > 132000, CRI80			380V50HZ
		1000W > 110000, CRI80			

EXTERNAL DIMENSIONS



A	B	C	D	E	F	G	H
703MM	789MM	387MM	391MM	717MM	383MM	110MM	21MM




For the fields with high mast solutions, we will provide a proposal including poles design and foundation design base on your geological information. To help you cost down and match the budget. Remote drivers enclosures can reduce your total cost dramatically.





Especially football and baseball training grounds, Pre-Made Foundation With approved geological information, we can provide steel prefabricated foundations, which help reduce interference and impact on existing lawns, while effectively shortening the construction period.





VFS PLUS SERIES

SLS LIGHTING SOLUTIONS LLC

ADD: 8 The Grn Ste A, Dover, DE 19901.

E-mail: info@slslighter.com

TEL: +1 (559) -296-9909